



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373


CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6442
Test Date: 12/9/2016 1:19:24 PM
Test Duration: 00:04:18
Serial Number: 6282-4

Product: 4 LEG BRIDLE 1/2 X 8 FT
Description: 4 LEG BRIDLE 1/2 X 8 FT

Size: 1/2"
Length: 8 FT
WLL: 8.8 TONS @ 60 DEG ANGLE
Proof Load: 10,000 LBS. EACH LEG



NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-1

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373


CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6443
Test Date: 12/9/2016 1:28:20 PM
Test Duration: 00:04:19
Serial Number: 6282-5

Product: 4 LEG BRIDLE 1/2 X 10 FT
Description: 4 LEG BRIDLE 1/2 X 10 FT

Size: 1/2
Length: 10 FT
WLL: 8.8T @ 60 DEGREE ANGLE
Proof Load: 10,000 LBS. EACH LEG



NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-2

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY *Dustin Donnelly*
DUSTIN DONNELLY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373


CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6444
Test Date: 12/9/2016 1:33:28 PM
Test Duration: 00:04:11
Serial Number: 6000-9

Product: 4 LEG BRIDLE 1/2 X 10 FT
Description: 4 LEG BRIDLE 1/2 X 10 FT

Size: 1/2
Length: 10 FT
WLL: 8.8T @ 60 DEGREE ANGLE
Proof Load: 10,000 LBS. EACH LEG



NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-3

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE


CONDUCTED BY DUSTIN DONNELLY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 1:33:29 PM



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373

CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6446

Test Date: 12/9/2016 1:43:28 PM

Test Duration: 00:06:49

Serial Number: 4090-6

Size: 5/8"


Length: 11 FT

Product: 4 LEG BRIDLE 5/8 X 11 FT

WLL: 14 TONS @ 60 DEG ANGLE

Description: 4 LEG BRIDLE 5/8 X 11 FT

Proof Load: 15,600 EACH LEG




NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT

CERT NUMBER 8857-4

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY  JONATHAN L. GUIDRY

PROOF TEST EQUIPMENT CALBRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 1:43:29 PM



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373


CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6447
Test Date: 12/9/2016 1:49:32 PM
Test Duration: 00:04:46
Serial Number: 2220-7

Product: 4 LEG BRIDLE 5/8 X 11 FT
Description: 4 LEG BRIDLE 5/8 X 11 FT

Size: 5/8"
Length: 11 FT
WLL: 14 TONS @ 60 DEG ANGLE
Proof Load: 15,600 EACH LEG




NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT

CERT NUMBER 8857-5

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY  JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 1:49:33 PM




1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373

CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6448
Test Date: 12/9/2016 1:54:46 PM
Test Duration: 00:04:26
Serial Number: 1597-8
Size: 5/8"
Length: 11 FT
WLL: 14 TONS @ 60 DEG ANGLE
Proof Load: 15,600 EACH LEG

Product: 4 LEG BRIDLE 5/8 X 11 FT
Description: 4 LEG BRIDLE 5/8 X 11 FT




NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT

CERT NUMBER 8857-6

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY  JONATHAN L. GUIDRY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 1:54:47 PM



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373


CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6449
Test Date: 12/9/2016 2:01:06 PM
Test Duration: 00:04:51
Serial Number: 2220-6
Size: 5/8
Length: 12FT

Product: 4 LEG BRIDLE 5/8 X 12 FT
Description:

Proof Load: 15,600 LBS



NOTES PULLED ALL LEGS TO TWICE THE WORK LOAD LIMIT
CERT NUMBER 8857-7

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY *Dustin Donnelly*
DUSTIN DONNELLY

PROOF TEST EQUIPMENT CALBRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 2:01:07 PM




1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373

CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6450
Test Date: 12/9/2016 2:07:52 PM
Test Duration: 00:05:44
Serial Number: 3836-1
Size: 5/8"
Length: 10FT
WLL: 14 TONS @ 60 DEG ANGLE
Proof Load: 15,600 LBS. EACH LEG

Product: 4 LEG BRIDLE 5/8 X 10FT
Description: 4 LEG BRIDLE 5/8 X 10FT



NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-8

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY  JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALBRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 2:07:53 PM




1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373

CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6451
Test Date: 12/9/2016 2:14:48 PM
Test Duration: 00:06:12
Serial Number: 3836-2
Size: 5/8"
Length: 10FT
WLL: 14 TONS @ 60 DEG ANGLE
Proof Load: 15,600 LBS. EACH LEG

Product: 4 LEG BRIDLE 5/8 X 10FT
Description: 4 LEG BRIDLE 5/8 X 10FT



NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-9

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 2:14:49 PM




1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373

CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6452
Test Date: 12/9/2016 2:20:32 PM
Test Duration: 00:04:32
Serial Number: 6282-8
Size: 5/8"
Length: 8 FT
WLL: 14 TONS @ 60 DEG ANGLE
Proof Load: 15,600 LBS EACH LEG

Product: 4 LEG BRIDLE 5/8 X 8 FT
Description: 4 LEG BRIDLE 5/8 X 8 FT



NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-10

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALBRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 2:20:33 PM



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373


CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6453
Test Date: 12/9/2016 2:25:44 PM
Test Duration: 00:04:34
Serial Number: 2181-7

Product: 4 LEG BRIDLE 5/8 X 8 FT
Description: 4 LEG BRIDLE 5/8 X 8 FT

Size: 5/8"
Length: 8 FT
WLL: 14 TONS @ 60 DEG ANGLE
Proof Load: 15,600 LBS EACH LEG



NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT

CERT NUMBER 8857-11

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY  JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 2:25:45 PM



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373


CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6454
Test Date: 12/9/2016 2:31:58 PM
Test Duration: 00:05:36
Serial Number: 6282-7

Product: 4 LEG BRIDLE 5/8 X 8 FT
Description: 4 LEG BRIDLE 5/8 X 8 FT

Size: 5/8"
Length: 8 FT
WLL: 14 TONS @ 60 DEG ANGLE
Proof Load: 15,600 LBS EACH LEG



NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-12

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 2:32:00 PM



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373


CERTIFICATE OF TESTING

Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6455
Test Date: 12/9/2016 2:40:34 PM
Test Duration: 00:02:00
Serial Number: 6000-2
Size: 1"
Length: 3 FT

Product: 1 X 3 FT STINGER
Description:

Proof Load: 39,200 LBS.



NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-13

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 2:40:35 PM



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373

CERTIFICATE OF TESTING


Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6456
Test Date: 12/9/2016 2:44:52 PM
Test Duration: 00:01:35
Serial Number: 3474-1

Product: 1 X 3 FT STINGER
Description:

Size: 1"
Length: 3 FT

Proof Load: 39,200 LBS.




NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-14

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY  JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 2:44:53 PM



1504 Mehle Avenue
Arabi, Louisiana 70032
Phone (504) 279-5225
Fax (504) 277-7373

CERTIFICATE OF TESTING


Customer: DEMEX INTERNATIONAL INC
7144 DUMMYLINE ROAD
PICAYUNE, MS 39466

Test ID: 6457
Test Date: 12/9/2016 2:48:29 PM
Test Duration: 00:01:42
Serial Number: 3474-3

Product: 1 X 3 FT STINGER
Description:

Size: 1"
Length: 3 FT

Proof Load: 39,200 LBS.




NOTES PROOF TEST EACH LEG TO TWICE ITS WORK LOAD LIMIT
CERT NUMBER 8857-15

TEST RESULTS

ACCEPTABLE

NOT ACCEPTABLE

CONDUCTED BY  JONATHAN L GUIDRY

PROOF TEST EQUIPMENT CALABRATED TO ASTM E-4 + - 1%, TRACEABLE TO THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY

These products have had a load applied to them in conformance with the customer's specifications. There is no warranty, expressed or implied, by the test machine manufacturer that these goods are suitable for a purpose or use.

Datatest Software Copyright © 2008 Chant Engineering Co. Inc.

Page 1 of 1 on 12/9/2016 2:48:30 PM